

AMENDMENT

1. (PREVIOUSLY PRESENTED) A method of detecting an event comprising the steps of:
 - a) evaluating a patient to determine at least one health symptom experienced by the patient;
 - b) monitoring occurrences of the at least one health symptom;
 - c) comparing the occurrences of the at least one health symptom to a trigger value; and
 - d) activating an alert indicating the occurrence of an event when the occurrences of the at least one health symptom exceed the trigger value.
2. (PREVIOUSLY PRESENTED) The method as recited in claim 1 wherein said step b) further includes the step of monitoring the occurrences from at least one emergency services dispatcher.
3. (ORIGINAL) The method as recited in claim 2 further including the step of inputting the at least one health symptom into a dispatcher computer.
4. (ORIGINAL) The method as recited in claim 2 further including the step of providing the at least one health symptom in a first geographical area.
5. (ORIGINAL) The method as recited in claim 4 further including the step of accumulating the at least one health symptom in a second geographical area which includes the first geographical area and which is greater than the first geographical area.
6. (PREVIOUSLY PRESENTED) The method as recited in claim 4 wherein the information about the at least one health symptom is provided at a variable time.
7. (ORIGINAL) The method as recited in claim 1 further including the steps determining a geographic location of each of the at least one health symptom and associating the geographical location with each of the at least one health symptom.

8. (ORIGINAL) The method as recited in claim 7 further including the step of displaying the geographical location of each of the at least one health symptom on a display.
9. (PREVIOUSLY PRESENTED) The method as recited in claim 1 further including the step of adjusting the trigger value to generate a new trigger value and then comparing the new trigger value to the occurrences of the at least one health symptom.
10. (PREVIOUSLY PRESENTED) The method as recited in claim 1 wherein the trigger value is a statistical variation of a historical value of the at least one health symptom.
11. (ORIGINAL) The method as recited in claim 1 further including the step of weighting the at least one health symptom.
12. (PREVIOUSLY PRESENTED) The method as recited in claim 1 further including the step of calculating the trigger value prior to the step of comparing the occurrences of the at least one health symptom to the trigger value.
13. (ORIGINAL) The method as recited in claim 1 wherein the at least one health symptom is one of headache, fever, fainting, clammy, unconscious, bleeding, vomiting and nausea.
14. (ORIGINAL) The method as recited in claim 1 wherein the event is one of a biological attack and a chemical attack.
15. (PREVIOUSLY PRESENTED) The method as recited in claim 1 wherein said step b) further includes the step of monitoring the occurrences of the at least one health symptom within a time window.
16. (PREVIOUSLY PRESENTED) The method as recited in claim 15 further including the step of generating a trigger based upon historical occurrences of the at least one health symptom within the time window.

17. (PREVIOUSLY PRESENTED) The method as recited in claim 16 further including the step of updating the trigger at an update frequency, the step of updating including the step of adding new occurrences to the historical occurrences.

18. (ORIGINAL) The method as recited in claim 17 wherein the step of updating further includes the step of dropping old occurrences from the historical occurrences.

19. (ORIGINAL) The method as recited in claim 16 wherein the trigger is based upon criteria, the method further including the steps of changing criteria of the trigger and recalculating the trigger based upon the changed criteria and the historical occurrences.

20. (PREVIOUSLY PRESENTED) The method as recited in claim 19 wherein the at least one health symptom includes a plurality of symptoms, and where the criteria for the trigger includes the plurality of symptoms, the step of changing the criteria including the step of adding a symptom to the plurality of symptoms.

21. (PREVIOUSLY PRESENTED) The method as recited in claim 19 wherein the at least one health symptom includes a plurality of symptoms, and where the criteria for the trigger includes the plurality of symptoms and a statistical relationship to the historical occurrences, the step of changing the criteria including the step of changing the statistical relationship to the historical occurrences.

22. (PREVIOUSLY PRESENTED) A system for detecting an event comprising:
a main computer for monitoring occurrences of at least one health symptom, and comparing the occurrences of the at least one health symptom to a trigger value, wherein the at least one health symptom is determined by evaluating a patient; and
an alert system indicating an alarm based upon the comparison of the occurrences of the at least one health symptom to the trigger value to indicate the occurrence of an event.
23. (ORIGINAL) The system as recited in claim 22 further including a plurality of input computers for gathering occurrences of the at least one health symptom.
24. (PREVIOUSLY PRESENTED) The system as recited in claim 22 wherein the main computer determines a geographic location of the at least one health symptom.
25. (PREVIOUSLY PRESENTED) The system as recited in claim 24 further including a visual display that displays a location of the at least one health symptom.
26. (PREVIOUSLY PRESENTED) The system as recited in claim 22 wherein the trigger value is based on a statistical variation of a historical value of the at least one health symptom.
27. (ORIGINAL) The system as recited in claim 22 wherein the at least one health symptom is one of headache, fever, fainting, clammy, unconscious, bleeding, vomiting and nausea.
28. (PREVIOUSLY PRESENTED) The system of claim 22 wherein the at least one health symptom includes a plurality of symptoms.
29. (ORIGINAL) The system of claim 28 wherein the trigger value is based upon historical occurrences of the plurality of symptoms.
30. (ORIGINAL) The system of claim 29 wherein the trigger value is updated at an update frequency, wherein new occurrences are added to the historical occurrences to update the trigger value.

31. (PREVIOUSLY PRESENTED) The method of claim 1 further including the step of adjusting a sensitivity of the trigger value.
32. (PREVIOUSLY PRESENTED) The method of claim 31 wherein the step of adjusting the sensitivity of the trigger value is based on a national threat level.
33. (CANCELLED)
34. (PREVIOUSLY PRESENTED) The method of claim 1 further including the steps of contacting an emergency services dispatcher to report the at least one health symptom and then inputting the at least one health symptom into a dispatcher computer.
35. (PREVIOUSLY PRESENTED) The system of claim 22 wherein a sensitivity of the trigger value is adjusted.
36. (PREVIOUSLY PRESENTED) The system of claim 35 wherein the sensitivity of the trigger value is based on a national threat level.
37. (CANCELLED)
38. (PREVIOUSLY PRESENTED) The system of claim 22 wherein a person contacts an emergency services dispatcher to report the at least one health symptom and the emergency services dispatcher inputs the at least one health symptom into a dispatcher computer.

39. (PREVIOUSLY PRESENTED) A method of detecting an event comprising the steps of:
- a) monitoring an occurrence of a first health symptom;
 - b) monitoring an occurrence of a second health symptom, wherein the first health symptom is different from the second health symptom;
 - c) comparing the occurrences of the first health symptom and the second health symptom to a trigger value; and
 - d) activating an alert indicating the occurrence of an event when the occurrences of the first health symptom and the second health symptom exceed the trigger value.
40. (PREVIOUSLY PRESENTED) The method as recited in claim 39 further including the step of adjusting the trigger value to generate a new trigger value and then comparing the new trigger value to the occurrences of the first health symptom and the second health symptom.
41. (PREVIOUSLY PRESENTED) The method as recited in claim 39 wherein step a) is performed independently of step b).
42. (PREVIOUSLY PRESENTED) A system for detecting an event comprising:
- a main computer for monitoring occurrences of a first health symptom and a second health symptom, and comparing the occurrences of the first health symptom and the second health symptom to a trigger value, wherein the first health symptom is different from the second health symptom; and
 - an alert system indicating an alarm based upon the comparison of the occurrences of the first health symptom and the second health symptom to the trigger value to indicate the occurrence of an event.
43. (PREVIOUSLY PRESENTED) The system as recited in claim 42 wherein the trigger value is adjustable.
44. (CURRENTLY AMENDED) The system as recited in claim 42 wherein the first health symptom is monitored independently from the second health symptom.

45. (PREVIOUSLY PRESENTED) The system as recited in claim 22 wherein the event is one of a chemical attack and a biological attack.

46. (PREVIOUSLY PRESENTED) The system as recited in claim 42 wherein the event is one of a chemical attack and a biological attack.

47. (NEW) The method as recited in claim 1 wherein the event is one of a plurality of different events.

48. (NEW) The system as recited in claim 22 wherein the event is one of a plurality of different events.

49. (NEW) The method as recited in claim 39 wherein the event is one of a plurality of different events.

50. (NEW) The system as recited in claim 42 wherein the event is one of a plurality of different events.

51. (NEW) The method as recited in claim 1 wherein an alert system performs the step of activating the alert.

52. (NEW) The method as recited in claim 39 wherein an alert system performs the step of activating the alert.